

LUMINA



LUM 1S



LUM 5S

MERBAU TIMBER – STANDARD SIZE

LUM 1S

LUM 5S

	LUM 1S	LUM 5S
GLAZED DOOR 2040 X 820 X 40	\$	\$
Clear	1160	1607
Translucent	1193	1633
GLAZED DOOR 2040 X 920 X 40	\$	\$
Clear	1434	1915
Translucent	1640	2214
GLAZED DOOR 2340 X 820 X 40	\$	\$
Clear	1529	1857
Translucent	1698	2023

BAL 12.5 CONSTRUCTION

LUM 1S BAL12.5

LUM 5S BAL12.5

	LUM 1S BAL12.5	LUM 5S BAL12.5
ADD TO STANDARD DOOR PRICE	\$	\$
	+55	+55

SPECIFICATIONS

Door construction	Stile and Rail Joinery door.
Merbau veneer	Merbau veneer is a natural product, as such the colour, grain and texture can vary. Whilst every attempt is made to ensure veneers match, any variation in colour, grain and texture will not be considered a defect.
Trimming	Doors – 5mm from top, bottom and each stile.
Glazing	Complies with AS1288:2006 for the selection and installation of glass in buildings.
Hinges	Doors measuring up to 2040 x 920 require a minimum 3 hinges. Doors over and above this size require 4 hinges.
Metal inlay	Grade 304 hairline finish stainless steel metal inlays used.
Pre-finishing & installation	Light reflective colours should be used on all doors exposed to direct sunlight. Finish Merbau doors with an oil based paint, stain or sealer to reduce bleeding of tannin. If exposed to moisture, unsealed veneer may bleed. In this event wipe over with a wet cloth to restore an even appearance. Entrance doors must be installed in weather protected openings to reduce the effects of weather exposure. Refer to – Door Care and Maintenance recommendations. Failure to adhere to these recommendations will void warranty.
BAL rating	BAL 12.5 – Must be specified at time of order.
Approx. weight	50-55kg (Based on 2040 x 820 door).
Warranty	5 years – Terms and conditions apply – refer to Warranty and Terms and Conditions of Sale.
Special sizes	Special sizes Min 1990 x 620 x 40 – Max 2700 x 1200 x 40 WRD. Prices and lead-times upon application. Special sizes will be Made to Order. Special size doors measuring 1020mm wide and above will be manufactured as a wide stile door.
Made to Order (MTO)	Made to Order (MTO) doors may only be cancelled on day of ordering. In general, value added services applied to doors, glazed doors are considered a MTO item. For further information contact Corinthian Customer Service.
Note	All prices exclude GST. All sizes are nominal and in millimetres. Door furniture pictured on the doors is sold separately. All doors depicted are professionally finished. Doors are supplied raw.

GLAZING OPTIONS



Translucent

FEATURES

PROFILE	FLOATING PANEL WITH METAL INLAY DETAIL
RAW VENEER	BAL RATING
<p>MERBAU</p>	



LUMWS 1G



LUMWS 1S



LUMWS 3S



LUMWS 5S

MERBAU TIMBER – STANDARD SIZE

	LUMWS 1G	LUMWS 1S	LUMWS 3S	LUMWS 5S
GLAZED 2040 X 1200 X 40	\$	\$	\$	\$
Clear	1169	1552	2152	2455
Translucent	1480	1906	2385	2808
GLAZED 2340 X 1200 X 40	\$	\$	\$	\$
Clear	1465	1890	2659	2579
Translucent	1821	2287	2945	2976

SPECIFICATIONS

Door construction	Stile and Rail Joinery door
Merbau veneer	Merbau veneer is a natural product, as such the colour, grain and texture can vary. Whilst every attempt is made to ensure veneers match, any variation in colour, grain and texture will not be considered a defect.
Trimming	Doors – 5mm from top, bottom and each stile.
Glazing	Complies with AS1288:2006 for the selection and installation of glass in buildings. Presence of glass motifs are included on LUMWS 1G with clear glass, as required by the Australian Standard.
Pivoting Wide Style doors	Lumina wide style doors can be used within a Wide Style Pivot frame.
Hinging Wide Style doors	Lumina wide style doors can be used within a Wide Style Hinged frame.
Cavity Sliding Wide Style doors	Lumina wide style doors can be used within a Platinum 6000 Cavity door solution.
Metal inlay	Grade 304 hairline finish stainless steel metal inlays used.
Pre-finishing & installation	Light reflective colours should be used on all doors exposed to direct sunlight. Finish Merbau doors with an oil based paint, stain or sealer to reduce bleeding of tannin. If exposed to moisture, unsealed, veneer may bleed. In this event wipe over with a wet cloth to restore an even appearance. Entrance doors must be installed in weather protected openings to reduce the effects of weather exposure. Refer to – Door Care and Maintenance recommendations. Failure to adhere to these recommendations will void warranty.
BAL rating	BAL 12.5 – Must be specified at time of order.
Approx. weight	50-60kg (Based on 2040 x 1200 door).
Warranty	5 years – Terms and conditions apply – refer to Warranty and Terms and Conditions of Sale.
Special sizes	Special sizes Min 1990 x 620 x 40 – Max 2700 x 1200 x 40 WRD. Prices and lead-times upon application. Special sizes will be Made to Order. Special size doors measuring 1020mm wide and above will be manufactured as a wide style door.
Made to Order (MTO)	All Lumina pivot doors are Made to Order (MTO). MTO doors may only be cancelled on day of ordering. In general, value added services applied to doors and glazed doors are considered a MTO item. For further information contact Corinthian Customer Service.
Note	All prices exclude GST. All sizes are nominal and in millimetres. Door furniture pictured on the doors is sold separately. All doors depicted are professionally finished. Doors are supplied raw.

GLAZING OPTIONS



Translucent

FEATURES

PROFILE	FLOATING PANEL WITH METAL INLAY DETAIL
RAW VENEER	BAL RATING
<p>MERBAU</p>	