


new era of sustainable

Decking


+ screens





Jarrah - engineered to perfection

edeck, **e**screens & **e**posts engineered, precision machined jarrah timbers are manufactured with Class A adhesion join, providing superior strength and stability.



edek™

Introducing eco-friendly premium Jarrah decking.

Edeck is an engineered Jarrah decking from Western Australia which is guaranteed to give superior strength and stability. This premium decking comes pre-oiled to reduce moisture uptake and is available pre-profiled for secret fixings. Edeck is manufactured by value adding wood waste and shorts producing an environmentally friendly premium product. Jarrah is a quality decking medium as well as being one of the hardest and most durable timbers available.



Deck-Max Secret Fixing

SECRET FIXING

Edeck is available pre-profiled to suit secret fixings:

- **85mm edeck board** = approx **24 to 26 Deck-Max biscuits** per sq metre.
- **135mm edeck board** = approx **28 to 32 Deck-Max biscuits** per sq metre.

Deck-Max fixing quantities can vary by design requirements, joist centres & spacing. Deck-Max kit's include biscuits, screws, joiners, adhesive & drill bits: available **5, 10 or 30 square metre quantities**. Alternative fixing methods are also available. For further details please visit www.mbsales.com.au



escreens engineered, pre-oiled
size: 63 x 20mm
set lengths: 2.7 or 3.6 metres

eposts engineered, pre-oiled
size: 120mm x 120mm
set lengths: 2.4, 3.0 or 5.4 metres



Edeck™ engineered, precision machined, **PR4E (pencil round 4 edges)** Jarrah Decking.
Sizes: 85 x 20mm & 135 x 20mm.
Set Lengths: 3.6 or 4.5 metres.

Independently tested at University of Western Australia School of Civil & Resource Engineering Testing Laboratory. NATA Certificate upon request.

Please Note: Edeck must be re-oiled with Intergrain (Natures Timber Oil) prior to installation; the number of coats will depend upon the level of exposure and ventilation. For further information please refer to M&B Timber Decking Preparation & Maintenance Guide www.mbsales.com.au

ModWood

approx 90% of the material used is either recycled or reclaimed.



MODWOOD DECKING

ModWood is an environmentally friendly composite deck (WPC – wood plastic composite) that creates practical, yet stylish, outdoor living areas. Approximately 90% of the material used is either recycled or reclaimed. ModWood does not need to be sanded or oiled and is the perfect choice if you are looking for a low maintenance decking option. ModWood is manufactured right here in Australia, has a ten year guarantee and comes pre-profiled to suit secret fixings.

- environmentally friendly
- ideal for swimming pools
- low maintenance
- highly recommended for fully exposed areas
- solid boards
- Australian made
- 10 year warranty



SECRET FIXING

ModWood comes pre-profiled to suit secret fixings:

- **88mm ModWood board** = approx **4.5 Klevaklip's** per sq metre.
- **137mm ModWood board** = approx **4.5 Klevaklip's** per sq metre.

Klevaklip quantities can vary by design requirements, joist centres & spacing.

Klevaklip is only suitable for square deck areas and unsuitable for areas where joist spacing & height is inconsistent.

Alternative fixing methods are also available. For further details please visit www.mbsales.com.au



Klevaklip Secret Fixing



Secret fixings are the ultimate fixing for a good looking deck.



M&B Timber Decking



“Is M&B decking environmentally sound?”

M&B understand that in today’s environmentally conscious world, consumer’s want to know that the decking they choose is not only a quality product but comes from responsibly managed resources. With this in mind, you are assured that M&B decking timbers are sourced only from timber producers who use sustainable and responsible forestry practices.

- Timber is the perfect way to create stylish outdoor living and entertainment areas.
- Natural timber creates an attractive finish.
- Timber is a wonderful alternative to paving as it does not retain summer heat.
- Adaptable for simple or elaborate designs.
- Very easy to handle and simple to build.
- Hides eyesores such as old paving or cracked slab concrete.
- Covers large areas quickly.

M&B ARE DECKING SPECIALISTS

- decking
- treated pine for substructures
- secret fixings
- decking oils
- fixings
- expert advice

For important information on timber decking installation e.g. ventilation requirements, spacings, pre-oiling and maintenance please refer to M&B Timber Decking Preparation & Maintenance Guide www.mbsales.com.au



Decking Sizes

ModWood	Length	Natural Grain Collection	
		smooth	brushed
Decking 88 x 23mm	5.4 metres	■	■
Wide Decking 137 x 23mm	5.4 metres	■	■
Mini Board [Screens] 68 x 17mm	4.8 metres	■	
Marina Board 137 x 32mm	4.2 metres	■	■

Sahara Smooth	Brushed
Black Bean Smooth	Brushed
Jarrah Smooth	Brushed
Silver Gum Smooth	Brushed

Timber Species	Lengths	85 x 20mm	90 x 19mm	90 x 22mm	135 x 20mm	140 x 19mm	Dressed	Reeded
edek [Jarrah]	3.6 / 4.5 metres	■			■		■*	
Merbau	Random		■			■	■*	
Jarrah	Random	■					■	
Batu	Random		■				■	■
Pine	Random			■			■	■

* PR4E (Pencil Round 4 Edges)

Colours & images shown in this brochure are for illustration purposes only. The natural colour & grain variation within a timber species is natural & one of its most appealing attributes. ModWood colours may vary from batch to batch, however different batches of the same colour should weather to within a commercially acceptable tolerance. It is the customers duty to ensure that all decks are constructed within the BCA (Building Code of Australia) and that adequate spacing, cross ventilation and oiling of decking timber is carried out at the time of construction.